

SAS PitClean[™] 202C

Product Data Sheet

Use offshore for:

- Mud Pit Cleaning
- Supply Vessel & Tank Cleaning
- Pipeline Cleaning



Product Description:

SAS PitClean 202C is for use in offshore operations. This holly new developed oil based mud cleaning product is highly effective and reduces waste from cleaning work by 80% or more.

Benefits of using SAS PitClean 202C are:

Reduces downtime by at least 50%

Reduces cleaning time by at least 50%

Reduces waste volumes by up to 95%

SAS PitClean 202C removes base oil, oil based drilling muds and solid cake from contaminated mud pits, pipelines, tubulars, formations and equipment. SAS PitClean 202C does not form difficult to handle emulsion waste streams.

How to use SAS PitClean 202C for...

(Cleaning offshore mud pits, vessels, tanks and rig surfaces)

1. Dilute SAS PitClean 202C with seawater to concentration by weight as shown below

Mud pit cleaning
3% – 5%

Tank / vessel cleaning
3% – 10%

2. Use wash solution to clean contaminated surface or equipment.
3. Collect waste effluent after cleaning process and allow waste to separate out under gravity.
4. Recover oil, send solids to landfill, reuse free wash solution or send water to waste water treatment plant

Health & Safety

SAS PitClean 202C is safe for handling and no special procedures need be observed. SAS PitClean 202C is non flammable, non corrosive, non toxic and readily biodegradable.

Technical Information

SAS PitClean 202C is temperature insensitive and can be used at temperatures in the range of 5°C up to 100°C.

SAS PitClean 202C does not form oil/water emulsion wastes which minimizes waste production. After use, clean solids separate out under gravity or via centrifugation and can be sent to land fill. Oil can be recovered from the surface. Waste water can go to a water treatment plant for disposal.

Storage

Storage of all chemicals and protective clothing should be used as specified in the product SDS.

SAS PitClean 202C is stable for a period of up to 2 year provided it is stored and handled as specified in the product SDS.

Shipping & Packaging

SAS PitClean 202C is manufactured in the UK under ISO 9001:2008 and ISO 14001:2004 Quality, Environmental and Safety Management System Standards. Our minimum order quantity is one shipping pallet. The product is supplied in 40 x 25 kg containers, in 4 x 200 kg drums and in 1000 kg IBCs or 16 metric tonne bulk container.

Physical & Chemical Properties	
Appearance / Colour	Clear Yellow Liquid.
Solubility	Soluble in Seawater
Odour	alcohol
Specific Gravity	0.95 – 1.00 @ 20°C
pH Value	8.0 – 11.0
Flash Point	40 – 45°C
Flammability	Non Flammable
Biodegradability	Readily Biodegradable
Recommended Concentration	<ul style="list-style-type: none"> • Mud Pit Cleaning 3% – 5% • Tank Cleaning 3 % – 10%

Product Volume	Product Code
1,000kg (40 x 25 kg Containers)	PitClean 202C –40x25
800 kg (4 x 200 kg Drums)	PitClean 202C –4x200
1,000 kg IBC	PitClean 202C –1000
16 IBC Full Container	PitClean 202C –16MT

Contact us

To enquire about SAS products email us at:

info@sasenvironment.com

or visit our website at

www.sasenvironment.com

UK Office:

Fairways Business Park
8 Deer Park
Livingston,
EH54 8AF, UK

Tel: +44-(0) 1506 668 287

USA Office:

16225 Park Ten Place,
Suite 500,
Houston, Texas
77084

Tel: 281.213.0181